

eco-INSTITUT, Schanzenstr. 6-20, D-51063 Köln

Company x  
Contact person x  
Street x  
Town x  
Country x



### Attestation: Official VOC product emissions Europe

Dear Mr./Ms.

based on the evaluation of the Test Report No. XXXXXXXX dated 2025-xx-xx the testing results of the products XXXXXXXXXXXXXXXXXXXX manufactured by XXXXXXXXXXXX comply with following requirements.

### Official VOC product emissions regulations in the EU

Testing scheme	Publication	Requirements hold
AgBB 2024 / MVV TB Germany	AgBB 2024 / MVV TB 2024/1, 08/2024, Annex 8 2.2.1.1	Yes
French VOC-Regulation	Arrêté étiquetage 2011, Décret n° 2011-321	A+
French CMR-Regulation	Arrêté du 30 avril 2009	Yes
Belgian VOC-Regulation	Arrêté royal C - 2014/24239	Yes
Italian VOC-regulation	Criteri ambientali minimi - CAM 06.11.2027	Yes
EU Taxonomy	(EU) 2023/2486; (EU) 2021/2139	Yes

### Requirements for LEED and BREEAM sustainable building rating systems\*

LEEDv4 and v4.1 (outside US) – Low emitting materials

Testing standard: EN 16516:2017+A1:2020				
Compliance: AgBB Testing and Evaluation system (2018-2024) after 28 days				
Loading factor: 1.0 m <sup>2</sup> /m <sup>3</sup> for wall products				
Mass per surface area for liquid applied products: not applicable				
Formaldehyde	Sum of R ratios	Sum VOC w/o LCIs	TVOC	Requirements hold
≤ 10 µg/m <sup>3</sup>	≤ 1	≤ 100 µg/m <sup>3</sup>	≤ 1000 µg/m <sup>3</sup>	Yes
VOC content	VOC Limit Value*			
0 g/L	100 g/L	* VOC Limit Value for "Primers" (SCAQMD 1113, 02/2016 or DIN EN ISO 11890-2)		